

RECEIVED  
CENTRAL FAX CENTER

FEB 13 2006

Docket No. F-8762

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Dr. Thomas MAETZKE  
Serial No. : 10/549,244  
Filed : 10/18/05  
For : LABORATORY EQUIPMENT HAVING DRAIN  
GROOVES ON A WORKTOP  
Group Art Unit : UNKNOWN  
Examiner : UNKNOWN

Certificate of Facsimile Transmission Under 37 CFR 1.8

I hereby certify that this correspondence is being transmitted in accordance with  
37 CFR §1.6(d) to the United States Patent Office addressed to Commissioner for  
Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on February 13, 2006  
to facsimile no. (571) 273-8300. *Frank J. Jordan*

TOTAL NUMBER OF PAGES TRANSMITTED: 6pp  
PLEASE TRANSMIT ACKNOWLEDGMENT TO 212 953 7733

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

## SUPPLEMENTAL PRELIMINARY AMENDMENT

Sir:

Preliminary to examination, please amend the above-identified patent  
application as follows: